

Introduction to Octopus: model systems

Martin Lüders, Micael T. Oliveira

Octopus Course 2023, MPSD Hamburg

Model systems in Octopus

Why model systems?

Model systems in Octopus

Why model systems?

- testing numerics and new theoretical methods:

Model systems in Octopus

Why model systems?

- testing numerics and new theoretical methods:
 - there are many examples with analytical solutions available

Model systems in Octopus

Why model systems?

- testing numerics and new theoretical methods:
 - there are many examples with analytical solutions available
 - exact solution of the TD Schrodinger equation by mapping the interacting problem into a higher dimensional non-interacting problem.

Model systems in Octopus

Why model systems?

- testing numerics and new theoretical methods:
 - there are many examples with analytical solutions available
 - exact solution of the TD Schrodinger equation by mapping the interacting problem into a higher dimensional non-interacting problem.
- to simulate quantum dots and quantum wells and other low-dimensionality systems.

Model systems in Octopus

Why model systems?

- testing numerics and new theoretical methods:
 - there are many examples with analytical solutions available
 - exact solution of the TD Schrodinger equation by mapping the interacting problem into a higher dimensional non-interacting problem.
- to simulate quantum dots and quantum wells and other low-dimensionality systems.
- teaching

Model systems in Octopus

Why model systems?

- testing numerics and new theoretical methods:
 - there are many examples with analytical solutions available
 - exact solution of the TD Schrodinger equation by mapping the interacting problem into a higher dimensional non-interacting problem.
- to simulate quantum dots and quantum wells and other low-dimensionality systems.
- teaching
 - States and dynamics in quantum well or harmonic oscillators

Model systems in Octopus

Why model systems?

- testing numerics and new theoretical methods:
 - there are many examples with analytical solutions available
 - exact solution of the TD Schrodinger equation by mapping the interacting problem into a higher dimensional non-interacting problem.
- to simulate quantum dots and quantum wells and other low-dimensionality systems.
- teaching
 - States and dynamics in quantum well or harmonic oscillators
 - electron scattering (in 1D)

Model systems in Octopus

How can one specify the model?

Model systems in Octopus

How can one specify the model?

Custom potentials can be defined in the Species block:

```
%Species
'H' | species_pseudo | file | '../H.hgh'
'jlm' | species_jellium | jellium_radius | 5.0
'udf' | species_user_defined | potential_formula | "1/2*r^2" | valence | 8
%
```

The tutorials

You can find the tutorials under this link:

<https://octopus-code.org/documentation/13/tutorial/>

Periodic systems series:

- Lesson 1: 1D Harmonic Oscillator
- Lesson 2: Particle in a box
- Lesson 3: 1D Helium
- Lesson 4: Particle in an octopus
- Lesson 5: e-H scattering

The tutorials

You can find the tutorials under this link:

<https://octopus-code.org/documentation/13/tutorial/>

Have Fun !

